RECONSTRUCTIVE SURGERY IN MSF PROJECTS

CASE DISCUSSION



Dr Ryan Ko Chi Cheong



13 years old
Male
MVA
Open wound with exposed lower Achilles tendon & Calcaneus bone

What is your preferred way to close it?

1- primary closure
2- Skin graft
3- Transposition flap
4- Keystone flap 5- sural Flap



- 16 YEARS OLD
- MALE
- MVA
- OPEN WOUND WITH EXPOSED ACHILLES TENDON

What is your preferred way to close it?

1- primary closure
2- Skin graft
3- Transposition flap
4- Keystone flap 5- Sural Flap

This patient is an adult male with no concomitant illnesses. The photo shows the outlet of the GS wound. The wound is now clean following multiple debridements. What is your preferred way to close it?

1- primary closure
2- skin graft
3- key stone flap
4- advancement flap





45 years old
Female
Necrotizing fasciitis (L) buttock & thigh.

What is your preferred way to close it?

1- primary closure

2- skin graft

3- key stone flap


4- advancement flap



43 years old, Male
MVA with badly contused forehead skin.
Wound after debridement

What is your preferred way to close it?

1- primary closure
2- skin graft
3- key stone flap
4- Rotational flap



25 years old
Male
MVA with open fracture of (R) tibia
External fixator done

. What is your preferred way to close it?

1- primary closure
2- muscle flap then skin graft
3- key stone flap
4- advancement flap



22 years old
Male
GSW with open fracture of (L) tibia
External fixator done followed by fasciotomy.

What is your preferred way to close it?

1- primary closure
2- skin graft
3- key stone flap
4- advancement flap